

WebVTT Open Bugs

Syntax (3)

[23030 \[WebVTT\] Clarify text position calculation](#)

[22989 \[WebVTT\] Clarify text position algo](#)

[23404 Redesign cue box position settings](#)

V2 features (8)

[10944 Add speech synthesis features to WebVTT descriptions](#)

[15023 WebVTT v2: Add inline style support](#)

[15024 WebVTT v2: Add default settings support](#)

[18659 WebVTT: Consider introducing a setting to make lines grow upwards](#)

[20853 WebVTT: WebVTT files should have a default language](#)

[22085 possibility to shrink the rendering area for timed text \(webvtt\) using CSS](#)

[22562 WebVTT: We need to define what fragments can be used on URI referencing VTT files](#)

[22706 \[WebVTT\] Support text-decoration-`{text,color,style}` on CSS `::cue` pseudo-element](#)

Flesh-out (9)

[18947 WebVTT: Add CSS examples](#)

[19632 \[WebVTT\] cue identifier string clarification](#)

[21230 WebVTT: specify extension points in syntax spec](#)

[22103 \[WebVTT\] Whitespace surrounding cuetimes separator "-->" should be optional](#)

[22315 \[WebVTT\] Should probably allow any HTML5 space character after signature, for consistency](#)

[22389 WebVTT: add example for :past / :future pseudo-elements](#)

[22591 WebVTT: Write the conformance section](#)

[22915 Sort through the difference between background box and root list of webvtt node objects](#)

[23297 \[WebVTT\] clarify region percentage parsing](#)

Bugs (26)

[16875 WebVTT :past and :future don't work if you just have text between the timestamps](#)

[16917 WebVTT: snapToLines should throw InvalidStateError if the new value is false and "line" is negative or greater than 100](#)

[17218 WebVTT: Allow 'word-wrap: normal' or 'white-space: pre' to overflow the box \(and make 'word-wrap: break-word' the default for cues\)](#)

[17473 WebVTT: Overflowing cues should be clipped, not removed](#)

[18183 <track> auto and unset snap-to-lines shouldn't be possible](#)

[19126 WebVTT: :future nodes should be hidden implicitly](#)

[19836 WebVTT: allow float values as percentages in cue settings \(**BLOCKER**\)](#)

[20651 WebVTT: "attribute \(long or AutoKeyword\) line" is not valid WebIDL, since the spec says we can't have unions of primitive types](#)

[22029 <track> Overlapping avoidance for non-snapToLines cue is underspecced](#)

[22104 \[WebVTT\] Having a cue-setting keyword immediately following cuetimes \(without whitespace\) seems to be legal](#)

- [22114 WebVTT: Regions scrolling mechanism should be better specified](#)
- [22149 \[WebVTT\] text-outline no longer mentioned in CSS3 draft](#)
- [22154 \[WebVTT\] DOM Node construction rules somewhat ambiguous](#)
- [22332 WebVTT: provide a recommendation for edge margin](#)
- [22356 Make align and vertical attributes in WebVTT API enumerations](#)
- [22789 WebVTT: Data model for line position should not include overlap avoidance](#)
- [22962 \[WebVTT\] VTTRegion/VTTRegionList should not be event targets](#)
- [22963 \[WebVTT\] Should TextTrack::regions be readonly?](#)
- [22967 VTT Cue::align setter's use of enum prevents raising SyntaxError](#)
- [22968 VTT Cue::vertical setter's use of enum prevents raising SyntaxError](#)
- [23190 Region CSS settings right and height are undefined](#)
- [23267 Error in section 1.3, roll-up regions example](#)
- [23269 \[WebVTT\] Cannot get the computed value for height and width in the proc model](#)
- [23280 Make positioning values % instead of 'vh' and 'vw'](#)
- [23686 \[WebVTT\] use "partial interface TextTrack" to extend TextTrack](#)
- [23788 Update link to CSS selector spec and consider including :current](#)
- Spec creation (1)
- [22592 WebVTT: Write script to expose link-from for dfn](#)

